No.



9900033

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Asgrow Seed Company IIC

MICERS THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC UPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE CUTTO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR THIS THIS THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR THIS THIS THE VARIETY OF THE EXTENT PROPAGATION, OR STOCKING IT FOR ANY OF THE ANTEROSE, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROPAGATION OF THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'A0868'

In Jestimony Marcest, I have hereunto set my hand and caused the scal of the Plant Bariety Protection Office to be affixed at the City of Washington, D.C. this fifth day of February, in the year of our Lord two thousand one.

Allest:

alankfoot

Acting Commissioner Plant Variety Protection Office Agricultural Marketing Service Sgriculture

REP	RODUCE LOCALLY. Include form number U.S. DEPARTMENT OF A	and date on a	all reproductions.	The fallering	FORM APPROVED - OMB NO. 0581-00			
	AGRICULTURAL MARKET	AGRICULTURAL MARKETING SERVICE DE AND TECHNOLOGY DIVISION - PLANT VARIETY PROTECTION OFFICE			The following statements are made in accordance with the Privacy Act (1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.			
·	APPLICATION FOR PLANT VARIETY (Instructions and information collection	burden staten	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).					
1. Ň	AME OF APPLICANTIS) las it is to appear on the Certifica	ato)		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME			
	Asgrow Seed Company L	LC :		AP0868	A0868			
4. AI	DORESS (Street and No., or R.F.D. No., City, State, and	ZIP Code, and Coul	ntry)	6. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY			
	P.O. Box 7570 4140 114th Street			515-331-7100	PVPO NUMBER COOKS			
	Des Moines, IA 503	22		6. FAX (include area code)	F DATE			
·				515-331-7110	10/30/98			
7. GEN	NUS AND SPECIES NAME		8. FAMILY NAME (Botani	ical)	G FILING AND EXAMINATION FEE			
	Glycine max		Legumi	nosae	F = 245000			
9. CRC	opkino name <i>(common name)</i> Soybean				s DATE 10/30/98			
10. IF T	THE APPLICANT NAMED IS NOT A "PERSON", GIVE FOR	RM OF ORGANIZA	TION (corporation, partnershi	p, association, etc.) (Common name)	C CERTIFICATION FEE:			
<u></u>	<u> </u>				1 32000			
	NCORPORATED, GIVE STATE OF INCORPORATION Corporation			12. DATE OF INCORPORATION March 22, 1968	B DATE NOV. 3, 2000			
13. NAN	ME AND ADDRESS OF APPLICANT REPRESENTATIVE(S)	, IF ANY, TO SERV	/E IN THIS APPLICATION A	ND RECEIVE ALL PAPERS	14. TELEPHONE (include area code)			
	Donald Steffen Asgrow Seed Company LI	ıC	Trent Leopo Asgrow Seed	1d Company	515-331-7146 515-331-7148			
	P.O. Box 7570 4140 114th Street		P.O. Box 75 4140 114th	/O Street	16. FAX (include area code)			
·	Des Moines, IA 5032	2	Des Moines,		515-331-7110			
16. CHE	CK APPROPRIATE BOX FOR EACH ATTACHMENT SUBI	MITTED (Follow ins	structions on reverse)		515-331-7130			
	 Exhibit A. Origin and Breeding History of the Variety Exhibit B. Statement of Distinctness 	•						
	K Exhibit C. Objective Description of the Variety		The Salar State of the Salar Sta	and the second of the second o				
	Exhibit D. Additional Description of the Variety (Option			•				
	X Exhibit E. Statement of the Basis of the Applicant's C				The second secon			
e 8	Voucher Sample (2,500 viable untreated seeds or, for Filing and Examination Fee (22,460), made payable to	* Trongered	varieties verification that tiss	ue culture will be deposited and maintaine	ed in an approved public repository)			
17. DOES	THE APPLICANT SPECIFY THAT SEED OF THIS VARIET	TY BE SOLD BY VA	ARIETY NAME ONLY AS A C	77				
			E NU III Tho, go to	item 20)	n 83(a) of the Plant Variety Protection Acti			
18. DOES GENER	THE APPLICANT SPECIFY THAT SEED OF THIS VARIET RATIONS?	Y BE LIMITED AS	TO NUMBER OF 19. IF	"YES" TO ITEM 18, WHICH CLASSES	OF PRODUCTION BEYOND BREEDER SEED?			
	☐ YES ☐ NO	gidas da a Area Africa. Proposition		☐ FOUNDATION ☐ REGISTERE	D CERTIFIED			
20. HAS T	HE VARIETY OR A HYBRID PRODUCED FROM THE VAR YES #f "yes," give names of countries and dates!	RIETY BEEN RELEA	SED, USED, OFFERED FOR S	SALE, OR MARKETED IN THE U.S. OR O	THER COUNTRIES?			
	USA November 1998	□ N Space (1)	10	en de la companya de La companya de la co				
21. The sor	plicant(s) declare that a viable sample of basic seed of the able, or for a tuber propagated variety a tissue culture will	e variety will be ful il be deposited in a	rnished with application and public repository and mainta	will be replanished upon request in accordined for the duration of the certificate.	dance with such regulations as may be			
** *	dersigned applicant(s) is(are) the owner(s) of this sexually 42, and is entitled to protection under the provisions of 5		Territy , lottletter ster.	and believe(s) that the variety is now, dis	tinct, uniform, and stable as required in			
Applicar SIGNATURE	nt(s) is(are) informed that false representation herein can OF APPLIÇANT (Owner(s))	jeopardize protecti	·		<u> </u>			
7	to State		SIGNATURE C	of APPLICANT IOWNER(S)				
	e print or type)		NAME (Please	print or type)				
	nald Steffen		Tre	nt Leopold	The second secon			
арасіту оғ Мал	RTITLE Lager, Reg. Affairs	DATE	CAPACITY OR	177	DATE			
	o, avg. mildirs	10/19	/02 JUYD	ean Product Mana	ger 10/19/98 /			

Asgrow Seed Company LLC PVP Application A0868 Soybean

EXHIBIT A ORIGIN AND BREEDING HISTORY OF A0868

1992	Cross A923566 was made in Redwood Falls, Minnesota. Parentage A1923*P9061
1992-93	F1 & F2 generation was grown near Isabela, Puerto Rico and advanced using modified pedigree selection.
1993	F3 bulk populations were grown in Redwood Falls, Minnesota and single plants pulled.
1993-94	F3 derived F4 plants were grown near Rancagua, Chile in a progeny row. Entry AC94-40005 was selected based on agronomic characteristics.
1994	A923566AC94-40005 was entered in a two-location yield test where it placed 25 th of 50 entries.
1995	A923566A94-40005 was entered in an 8-location company wide yield test as entry 17, where it placed 28 th of 43 entries.
1996	Now named AP0868 it was entered in an 11-location company wide yield test as entry 6, where it placed 25 th of 48 entries.
	It was also entered in a 6 location Central Minnesota test as entry 4, where it placed 4 th of 20 entries.

A0868 is uniform and stable within commercially acceptable limits based on trial observations since 1991. As with other soybean varieties, variants can occur for almost any characteristic during the course of repeated sexual reproduction.

MSH:

EXHIBIT B

NOVELTY STATEMENT CONCERNING A0868 SOYBEAN

To our knowledge, the soybean varieties that closely resemble A0868 are A0949, P9061 and P9071:

1. Pubescence Color

A0868 - Tawny A0949 - Gray P9061 - Gray P9071 - Gray

2. Phytophthora Root Rot

A0868 - Rps1k A0949 - Rps1c P9061 - none P9071 - Rps1c major gene

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

	SOYBEAN (Glycine max L.)		
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	ON VARIETY NAME	
Asgrow Seed Company LLC	AP0868	A0868	
ADDRESS (Street and No., or R.F.D. No., City, State	, and Zip Code)		ICIAL USE ONLY
4140 114th Street		PVPO NUMBER	1010032
Des Moines, IA 50322			
in your answer is fewer than the number of box	es provided, place a zero in the first bo	ox when number is 9 or	less (e.g., 0 9).
1. SEED SHAPE:		- M	-11
2			
	1.2) 2 = Spherical Flatte		
2. SEED COAT COLOR: (Mature Seed)	:		
1 1 = Yellow 2 = Green 3 = 1	Brown 4 = Black 5 = Ot	her (Specify)	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = 5	Shiny ('Nebsoy'; 'Gasoy 17')		
NAME OF APPLICANT(S) Asgrow Seed Company LLC AP0868 FOR OFFICIAL USE DNLY FVO NUMBER GOLD 3P FOR OFFICIAL USE DNLY FVO NUMBER FOR OFFICIAL USE DNLY FVO NUMBER GOLD 3P FOR OFFICIAL USE DNLY FVO NUMBER GOLD			
1 6 Grams per 100 seeds			
5. HILUM COLOR: (Mature Seed)		···	
2 1 = Buff 2 = Yellow 3 = Brow	wn 4 = Gray 5 = Imperfect	Black 6 = Black	7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)			
1 = Yellow 2 = Green			
7. SEED PROTEIN PEROXIDASE ACTIVITY:			
[]			
8. SEED PROTEIN ELECTROPHORETIC BAND:			
1 = Type A (SP1 ^a) 2 = Type	∍B (SP1 ^b)		
9. HYPOCOTYL COLOR:			
3 = Light Purple below cotyledons ('Beeson'; '	Pickett 71')	is ('Woodworth'; 'Tracy')	
10. LEAFLET SHAPE:			
3 1 = Lanceolate 2 = Oval	3 = Ovate		

1	1. LEAF	LET SIZE:		
"	2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79'; 'Gasoy 17')	99000 33
1	2. LEAF	COLOR:		
	2	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Corsoy 79'; 'Braxtor	n .
* 1:	3. FLOW	/ER COLOR:		
	2	1 = White 2 = Purple	3 = White with purple throat	
* 1	4. POD (COLOR:		
· 	1	1 = Tan 2 = Brown	3 = Black	
★ 15	5. PLAN	T PUBESCENCE COLOR:		
	2	1 = Gray 2 = Brown (Tawny)		
16	. PLAN	T TYPES:		And the second s
	2	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Braxton')	
<u>→</u> 17	. PLAN	Г Н АВІТ:		
	3	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pelici	2 = Semi-Determinate ('Will') an')	
★ 18	. MATU	RITY GROUP:		
Г	. MATU		4 = I 5 = II 6 = III 12 = IX 13 = X	7 = IV 8 = V
	0 3	RITY GROUP: 1 = 000	12 = IX	7 = IV 8 = V
	0 3	RITY GROUP: 1 = 000	12 = IX	7 = IV 8 = V
	0 3	RITY GROUP: 1 = 000	12 = IX	7 = IV 8 = V
	0 3	RITY GROUP: 1 = 000	12 = IX 13 = X sceptible; 2 = Resistant)	7 = IV 8 = V
	0 3 DISEA	RITY GROUP: 1 = 000	12 = IX 13 = X sceptible; 2 = Resistant) sojensis)	7 = IV 8 = V
	O 3 BACT	RITY GROUP: 1 = 000	12 = IX 13 = X sceptible; 2 = Resistant)	7 = IV 8 = V
	O 3 BACT O O	RITY GROUP: 1 = 000	12 = IX 13 = X sceptible; 2 = Resistant) sojensis)	7 = IV 8 = V
	O 3 BACT O O	RITY GROUP: 1 = 000	12 = IX 13 = X sceptible; 2 = Resistant) sojensis)	7 = IV 8 = V
	DISEA BACT	RITY GROUP: 1 = 000	12 = IX 13 = X sceptible; 2 = Resistant) sojensis)	7 = IV 8 = V
	DISEA BACT	RITY GROUP: 1 = 000	12 = IX 13 = X sceptible; 2 = Resistant) sojensis)	7 = IV 8 = V Other (Specify)
	DISEA BACT	RITY GROUP: 1 = 000	12 = IX 13 = X sceptible; 2 = Resistant) sojensis)	
	DISEA BACT	RITY GROUP: 1 = 000	12 = IX 13 = X sceptible; 2 = Resistant) sojensis) 3	
	DISEA BACT	RITY GROUP: 1 = 000	12 = IX 13 = X sceptible; 2 = Resistant) sojensis) 3	
	DISEA BACT O FUNGA O O	RITY GROUP: 1 = 000	12 = IX 13 = X sceptible; 2 = Resistant) sojensis) 3	

19.	DISEASE REACTIO	N: (Enter 0 = Not Tested	l; 1 = Susceptible; 2	2 = Resistant) (Continued)			
•	FUNGAL DISEAS	ES: (Continued)				9000033	
*	O Pod and Ste	m Blight <i>(Diaporthe phas</i>	eolorum var; sojae)				
٠	0 Purple Seed	Stain (Cercospora kikuch	ii)				
	0 Rhizoctonia	Root Rot (Rhizoctonia s	olani)				
	Phytophtho	ra Rot <i>(Phytophthora me</i>	gasperma var. sojae	·)			
*	2 Race 1	2 Race 2 2	Race 3		2 Race	e 6 2 Race 7	,
	2 Race 8	2 Race 9 2	Other (Specify)	Races 10, 11, 1	3, 14, 15	, 17, 18, 2	2,24
	VIRAL DISEASES	:				·	
	0 Bud Blight (*	Tobacco Ringspot Virus)					
	O Yellow Mosa	ic (Bean Yellow Mosaic V	rirus)				
*	O Cowpea Mos	aic (Cowpea Chlorotic Vi	rus)				
	O Pod Mottle (I	Bean Pod Mottle Virus)					
*	O Seed Mottle	(Soybean Mosaic Virus)					
•	NEMATODE DISEA	ASES:					
	Soybean Cyst	t Nematode <i>(Heterodera g</i>	llycines)				
*	0 Race 1	0 Race 2 1	Race 3	Race 4 1 Other ((Specify) Rac	e 14	
	O Lance Nemat	ode (Hoplolaimus Colomi	bus)				
*	0 Southern Roc	ot Knot Nematode (Meloi	dogyne incognita)				
*	0 Northern Roc	ot Knot Nematode (Meloi	dogyne Hapla)				
	O Peanut Root I	Knot Nematode (Meloido	gyne arenaria)				
	0 Reniform Ner	matode (Rotylenchulus re	niformis)				
	OTHER DISE	ASE NOT ON FORM (S)	pecify):				
			······································			···	
20, ₽		SPONSES: (Enter 0 = No	ot Tested; 1 = Susce	eptible; 2 = Resistant)			
	2 Iron Chlorosis	on Calcareous Soil					
		/)					
21. i	NSECT REACTION:	(Enter 0 = Not Tested; 1	= Susceptible; 2 =	Resistant)			
	0 Mexican Bean	Beetle (Epilachna varives	tis)				
	O Potato Leaf He	opper (Empoasca fabae)					
	Other (Specify	/					
22. !!	NDICATE WHICH VA	RIETY MOST CLOSELY	RESEMBLES TH	AT SUBMITTED.			
	CHARACTER	NAME OF V	ARIETY	CHARACTER	NA	ME OF VARIETY	
P1	ant Shape			Seed Coat Luster			
	eaf Shape			Seed Size	·		
	eaf Color			Seed Shape	·		
	eaf Size		·	Seedling Pigmentation			
FORM	LMGS-470-57 (6-83)						6
							1000 7 Of

.a. GIVE DATA	E DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data					9900033			
VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted A0868	117	1.4	69.6			39.0	21.6	16	
Name of Similar Variety 10949	120	1.8	84.0			40.7	20.0	20	

UBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

ASGROW SEED COMPANY PVP APPLICATION A0868 SOYBEAN

EXHIBIT D

ADDITIONAL DESCRIPTION OF VARIETY

A0868 is a late maturity Group 0 variety with Rps1k, conferring resistance to most races of Phytophthora Root Rot, uncommon in lines of this maturity. It is an excellent plant type, with excellent lodging resistance, and is adapted across all row widths and soil types. It has good tolerance to iron deficiency chlorosis and Brown Stem Rot, as well as excellent tolerance to powdery mildew. It has good early spring vigor, emerging and growing rapidly under cool soil and climatic conditions. It has poor tolerance of Stem Canker, Septoria and Charcoal Rot.

ASGROW SEED COMPANY PVP APPLICATION A0868 SOYBEAN

EXHIBIT E

STATEMENT OF BASIS OF APPLICANT OWNERSHIP

A0868 was originated and developed by Mr. Roger Lussenden, an Asgrow soybean breeder. By agreement with Asgrow Seed Company, all rights to any invention, discovery or development made by employees is assigned to the company. No rights of such invention, discovery or development are returned to the employee.